# HP M34d WQHD Curved Monitor (3B1W4E9)

## Immerse Yourself in the Curve.

Find more room to play or work in the M34d WQHD Curved Monitor with built-in audio. Immerse yourself in its ultrawide screen that's proven to keep you up to 33% more focused[1], compared to a smaller screen.

### Ultrawide. Ultra Immersive.
Find more room to play or work in this 34-inch diagonal curved monitor with WQHD resolution and fully immerse yourself with an integrated speaker. This monitor is truly ideal for multitaskers and those that want to stay focused, accomplish more, and thrive.

### Clear the Clutter
Cut out all the cords and streamline down to a single, solitary USB-C®[2] cable that shuttles data, display, and power to your machine. Ah, that feels good.

### Be Comfortable
Optimize your focus and efficiency with all the ergonomic settings you desire. Slide in your perfect height or tilt with a fingertip. Be comfortable with low blue light mode and flicker free technology to keep your eyes from straining at any angle.

## Featuring

### Ports For Everything
Plenty of ports to connect multiple devices.

### Two Computers. One Screen.
Display two computers on one monitor with Picture By Picture (PBP).

### Access Two Computers with One Mouse and Keyboard
Integrated KVM switch enables you to seamlessly transition between two computers.

### Ultra WQHD Curved 34-inch screen
The curved display surrounds you with 5 million pixels for captivating definition and ultra-sharp details. [6]

### Picture Perfect Resolution
Give all your entertainment a new level of immersion with impressive 3440 x 1440 resolution. [6]

## Specifications

| | |
|---|---|
| **Display size (diagonal)** | 34" |
| **Panel technology** | VA |
| **Display size (diagonal)** | 86.36 cm (34") |
| **Aspect ratio** | 21:9[1] |
| **Native resolution** | WQHD (3440 x 1440) |
| **Resolutions supported** | 640 x 480; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 3440 x 1440 |
| **Pixel pitch** | 0.232 mm |
| **Brightness** | 250 nits[1] |
| **Contrast ratio** | 3500:1[1] |
| **Response time (typical)** | 5ms GtG (with scalar overdrive)[1] |
| **Minimum dimensions (W x D x H)** | 80.94 x 11.21 x 36.69 cm *(Without stand.)* |
| **Minimum dimensions (W x D x H)** | 31.89 x 4.41 x 14.44 in *(Without stand.)* |
| **Dimensions With Stand (W x D x H)** | 80.94 x 23.49 x 51.8 cm |
| **Weight** | 10.51 kg *(With stand.)* |
| **Weight** | 23.17 lb *(With stand.)* |
| **Display features** | Low haze; On-screen controls; Low blue light mode; Anti-glare; 1500R curvature; Height adjustable |
| **Display Input Type** | 1 USB Type-C™ (Alternative mode DisplayPort™ 1.2, power delivery up to 65 W); 1 HDMI 2.0 (with HDCP support); 1 DisplayPort™ 1.2 in (with HDCP support); 4 USB-A 3.2 Gen 1 |
| **Onscreen controls** | Audio control; Exit; Information; Management; Power control; Input control; Menu control; Brightness+; Image; Color; Picture-by-Picture |
| **Display scan frequency (horizontal)** | 30-160 KHz |
| **Display scan frequency (vertical)** | 48-100 Hz |
| **Camera** | No integrated camera |
| **Power** | 100 - 240 VAC 50/60 Hz |
| **Power consumption** | 190 W (maximum), 48 W (typical), 0.5 W (standby) |
| **Operating temperature range** | 5 to 35°C |
| **Operating humidity range** | 20 to 80% non-condensing |
| **Certifications and compliances** | BIS; CB; CCC; CE; CEL; cTUVus; EPA; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; RCM; VCCI; WEEE; WW application; ICE; KES; PSE EAC |
| **Physical security** | Security lock-ready[2] |
| **Management Software** | HP Display Center |
| **UPC number** | (A2N) 196188260227; (ABB) 196188260234; (UUZ) 196188260241 |
| **What's in the box** | Monitor; HDMI cable; QSP; 1 USB Type-C® to Type-C cable; AC power cord |

## Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Top Recommended Displays, Accessories and Services

## Messaging Footnotes

[1] Based on HP commission ASL Productivity study, October 2019.

[2] USB-C® is a registered trademark of USB Implementers Forum. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

[6] Ultra-wide quad high-definition (UWQHD) content required to view full UWQHD images.

## Technical Specifications Footnotes

[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

[2] Lock is sold separately.