





Hazard Classification and Identification Report for Transport of Goods

#### 普通货物

样品名称:

金霸王1.5V AAA碱性锌锰电池/MN2400/LR03 1.5V

Sample Name:

Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V

委托单位:

金霸王(中国)有限公司

Duracell (China) Ltd

生产单位:

金霸王(中国)有限

Duracell (China) Ltd





上海化工院检测有限公司

SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.





Hazard Classification and Identification Report for Transport of Goods

NO. 202400800339827

Page 1/3

			rage 1/3
180 AV	品名称 le Name	中文 Chinese	金霸王1.5V AAA碱性锌锰电池/MN2400/LR03 1.5V
Gamp	ie ivallie	英文 English	Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V
	委托单		金霸王(中国)有限公司
	Applica	ant	Duracell(China)Ltd
	生产单	位	金霸王(中国)有限公司
N	Manufact	turer	Duracell(China)Ltd
检验方法、程序 Inspection Methods and Procedures		thods and	JT/T617-2018《危险货物道路运输规则》第2、3部分 JT/T 617-2018 Regulations concerning road transportation of dangerous goods Part 2 and 3
样	品外观与	与气味	黄色,黑色双色圆柱型金属外壳,无臭
		& Odor	yellow and blackCylinder metal shell,odorless
IDENTIFICATION CONCLUSION	论	无。 None. <b>2. 公路运输</b> <b>617-2018</b> 可不受规 The prod	则限制。 uct is not subject to JT/T 617-2018.  [Packing Group]  2023-11-10 签发日期: 2023-11-20 生效日期:
备治			2.100110 5444
Comment			

批准

屯星

审核

我边境

主检

耐角

Approver:

Checker:

Appraiser:



Hazard Classification and Identification Report for Transport of Goods

NO. 202400800339827

Page 2 / 3

	rage 2/3
鉴定项目 Identification Items	鉴 定 结 果 Identification Results
爆炸危险性鉴定 Identification of Explosive Hazards	本品不属于爆炸品。 The product is not classified in Explosives.
易燃危险性鉴定 Identification of Flammable Hazards	本品不属于易燃危险品。 The product is not classified in Flammable Substances.
氧化危险性鉴定 Identification of Oxidative Hazards	本品不属于氧化剂和有机过氧化物。 The product is not classified in Oxidizing Substances and Organic Peroxides.
毒害及传染危险性鉴定 Identification of Toxic & Infectious Hazards	本品不属于毒害品和感染性物质。 The product is not classified in Toxic and Infectious Substances.
放射危险性鉴定 Identification of Radioactive Hazard	本品无放射危险性。 The product is not classified in Radioactive Material.
腐蚀危险性鉴定 Identification of Corrosive Hazard	本品不属于腐蚀品。 The product is not classified in Corrosives.
其他危险性鉴定 Identification of other Hazards	电池必须具有适当的防短路措施,若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.
	-验证码:332583-



Hazard Classification and Identification Report for Transport of Goods

NO. 202400800339827

Page 3 / 3







\*\*\*报告结束\*\*\*









Hazard Classification and Identification Report for Transport of Goods

#### 非限制性货物

样品名称: 金霸王1.5V AAA碱性锌锰电池/MN2400/LR03 1.5V

Sample Name: Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V

委托单位: 金霸王(中国)

Duracell (China) Ltd

生产单位: 金霸王(中国)有限公司

Duracell (China) Ltd





上海化工院检测有限公司

SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.





Hazard Classification and Identification Report for Transport of Goods

NO. 202400700339726

Page 1 / 3

		Page 1/3		
样品名称 Sample Name	中文 Chinese	金霸王1.5V AAA碱性锌锰电池/MN2400/LR03 1.5V		
Cample Name	英文 English	Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V		
委托单 Applica		金霸王(中国)有限公司		
		Duracell(China)Ltd		
生产单		金霸王(中国)有限公司		
Manufact	urer	Duracell(China)Ltd		
检验方法、程序 Inspection Methods and Procedures		国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)		
样品外观与	气味	黄色,黑色双色圆柱型金属外壳,无臭		
Appearance		yellow and blackCylinder metal shell,odorless		
E N T	无。 None.	识别(Hazards identification) (IMO IMDG Code办理的类项(Suggestion according to IMO IMDG Code)		
C A T I O N	可按非限制性货物条件办理。 The product is not subject to IMO IMDG Code.			
结 C O N C	3. <b>包装类别</b> 无。	(Packing Group)		
L 论 U S I O N	None. None. 检验日期: nspection Da	te: 2023-11-10		
备注 Comment		(35)		

批准 Approver: 主星

审核 Checker: 我边境

主检 Appraiser: 品价



は海化ン学

Hazard Classification and Identification Report for Transport of Goods

NO. 202400700339726

Page 2 / 3

	3- 270
鉴定项目 Identification Items	鉴定结果 Identification Results
爆炸危险性鉴定 Identification of Explosive Hazards	本品不属于爆炸品。 The product is not classified in Explosives.
易燃危险性鉴定 Identification of Flammable Hazards	本品不属于易燃危险品。 The product is not classified in Flammable Substances.
氧化危险性鉴定 Identification of Oxidative Hazards	本品不属于氧化剂和有机过氧化物。 The product is not classified in Oxidizing Substances and Organic Peroxides.
毒害及传染危险性鉴定 Identification of Toxic & Infectious Hazards	本品不属于毒害品和感染性物质。 The product is not classified in Toxic and Infectious Substances.
放射危险性鉴定 Identification of Radioactive Hazard	本品无放射危险性。 The product is not classified in Radioactive Material.
腐蚀危险性鉴定 Identification of Corrosive Hazard	本品不属于腐蚀品。 The product is not classified in Corrosives.
其他危险性鉴定 Identification of other Hazards	电池必须具有适当的防短路措施,若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.
	-验证码:493732-



Hazard Classification and Identification Report for Transport of Goods

No. 202400700339726

Page 3 / 3







\*\*\*报告结束\*\*\*









Hazard Classification and Identification Report for Transport of Goods

### 非限制性货物

样品名称:

金霸王1.5V AAA碱性锌锰电池/MN2400/LR03 1.5V

Sample Name:

Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V

委托单位:

金霸王(中国)有限公司

Duracell (China) Ltc

生产单位:

金霸王(中国)有限公克

Duracell (China) Ltd





上海化工院检测有限公司

SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO..LTD





Hazard Classification and Identification Report for Transport of Goods

NO. 202400500539025

#ASA				Page 1/3
安托单位 Applicant 金額王(中国)有限公司 Duracell (China) Ltd 生产单位 Manufacturer Duracell (China) Ltd 检验方法、程序 Inspection Methods and Procedures 样品外观与气味 Appearance & Odor Duracell (China) Ltd Duracell (China) Lt	20 1 mile 2010 2010 1001 1000	700		
Applicant  Duracell (China) Ltd  生产单位 Manufacturer  Duracell (China) Ltd  全霸王(中国)有限公司 Duracell (China) Ltd  检验方法、程序 Inspection Methods and Procedures  样品外观与气味 Appearance & Odor  1. 危险性识别(Hazards identification)  无。 None.  2. 空运按照IATA DGR为理的类项(Suggestion according to IATA DGR)  根据特殊规定Al23,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision Al23.  ***  ***  ***  **  **  **  **  **  *	Odinpie Wa	arrie	CONT	Duracell 1.5V AAA Alkaline battery/MN2400/LR03 1.5V
生产单位 Manufacturer		*0		
Manufacturer Duracell (China) Ltd 检验方法、程序 Inspection Methods and Procedures  FB Appearance & Odor  1. 危险性识别 (Hazards identification)  元。 None.  2. 空运按照IATA DGR办理的类项(Suggestion according to IATA DGR)  根据特殊规定A123,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  ***  ***  **  **  **  **  **  **  **				
検验方法、程序   国际航空运输协会《危险品規则》65版   IATA Dangerous Goods Regulations (DGR) 65th Edition   Procedures				
Appearance & Odor yellow and blackCylinder metal shell, odorless  1. 危险性识别(Hazards identification) 无。 None.  2. 空运按照IATA DGR办理的类项(Suggestion according to IATA DGR) 根据特殊规定A123,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  结 3. 包装类别(Packing Group) 无。 None.  检验日期: Inspection Date: 2023-11-10	检验方法、程序 Inspection Methods and		程序 lods and	国际航空运输协会《危险思却则》65岁
1. 危险性识别(Hazards identification) 无。 None.  2. 空运按照IATA DGR办理的类项(Suggestion according to IATA DGR) 根据特殊规定A123,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  结 CO N  结 3. 包装类别(Packing Group) 无。 None.  检验日期: Inspection Date: 2023-11-10	样品外观	见与	气味	黄色,黑色双色圆柱型金属外壳,无臭
无。 None.  2. 空运按照IATA DGR办理的类项(Suggestion according to IATA DGR) 根据特殊规定A123,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  4	Appearan			yellow and blackCylinder metal shell,odorless
根据特殊規定A123, 可接非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  *** C ON  ** C ON  None.    A DGR   A Coording to special provision A123.    A DGR   A DGR   A Coording to special provision A123.    A DGR   A DGR   A Coording to special provision A123.    A DGR   A DGR   A Coording to special provision A123.    A DGR   A DGR   A Coording to special provision A123.    A DGR   A Coording to spe	E N	1	无。	别(Hazards identification)
R据特殊规定A123,可按非限制性货物条件办理。 The product is not subject to IATA DGR according to special provision A123.  结 CON Standard Control	F	2.	. 空运按照	IATA DGR办理的类项(Suggestion according to IATA DGR)
COON       3. 包装类别 (Packing Group)         无。       None.         USS       None.         INSpection Date:       2023-11-10	C A T I O	根据特殊规定A123,可按非限制性货物条件办理。		
O N	。 结			
N   检验日期: 2023-11-10   签发日期: 2023-11-21   生效日期: 2024-01-01   Effective Date: 35)	0		无。	(Packing Group)
	I O N			2023-11-10
	20.20	/		

批准

毛星

审核

我边坞

主检

品情

Approver:

Checker:

Appraiser:





Hazard Classification and Identification Report for Transport of Goods

NO. 202400500539025

Page 2 / 3

	Tage 2/3
鉴定项目 Identification Items	鉴 定 结 果 Identification Results
爆炸危险性鉴定 Identification of Explosive Hazards	本品不属于爆炸品。 The product is not classified in Explosives.
易燃危险性鉴定 Identification of Flammable Hazards	本品不属于易燃危险品。 The product is not classified in Flammable Substances.
氧化危险性鉴定 Identification of Oxidative Hazards	本品不属于氧化剂和有机过氧化物。 The product is not classified in Oxidizing Substances and Organic Peroxides.
毒害及传染危险性鉴定 Identification of Toxic & Infectious Hazards	本品不属于毒害品和感染性物质。 The product is not classified in Toxic and Infectious Substances.
放射危险性鉴定 Identification of Radioactive Hazard	本品无放射危险性。 The product is not classified in Radioactive Material.
腐蚀危险性鉴定 Identification of Corrosive Hazard	本品不属于腐蚀品。 The product is not classified in Corrosives.
其他危险性鉴定 Identification of other Hazards	电池必须具有适当的防短路措施,若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.
	-验证码:317893-



Hazard Classification and Identification Report for Transport of Goods

NO. 202400500539025

Page 3 / 3







\*\*\*报告结束\*\*\*