

Work Smart. Play Hard.

Mit dem PRO MP165DE E6 wird einem Mobilität und starke Performance in einem geboten. Der ultradünne 15,6-Zoll-Monitor mit Full HD-Auflösung wiegt gerade einmal 780 Gramm und findet durch sein extrem flaches Design in jeder Tasche Platz. Das glasklare IPS-Panel eignet sich ideal für Präsentationen beim Geschäftsessen, als Kontrollmonitor für Content Creator oder als Reisemonitor für Gamer und Multi-Media-Liebhaber. Durch den USB Typ-C Anschluss können die aktuellsten Endgeräte, beispielsweise Smartphones oder Laptops, angeschlossen werden und gleichzeitig ihr Bild an den Monitor übertragen und ihn mit Strom versorgen.



SELLING POINTS

- 15,6-Zoll-FHD-IPS-Panel – Für ein besseres Seherlebnis.
- Dank des tragbaren Designs kannst du es mit der Schutzhülle ganz einfach überallhin mitnehmen.
- Dank des Stativanschlusses kannst du den Monitor ganz flexibel aufstellen.
- Mit der 75-mm-VESA-Halterung kannst du den Monitor an der Wand oder an anderen Geräten befestigen.
- Mit nur 0,78 kg ist der Monitor extrem leicht.
- MSI EyesErgo-Technik mit Anti-Flicker, Less Blue Light und Anti-Glare-Panel zum Schutz deiner Augen.
- Typ-C/HDMI™-Multi-Eingang – damit kannst du ganz einfach jedes Gerät anschließen, z. B. Smartphone, Kamera, Laptop oder PC.
- L-förmige Kabel verhindern Kabelknicken und sorgen für Komfort und ununterbrochenen Einsatz.
- Die ergonomische Software Display Kit bietet dir das praktischste Tool, die richtigen Farben und den richtigen Anzeigemodus für die tägliche Arbeit.
- Eingebaute Lautsprecher – für ein tolles Klangerlebnis unterwegs.



1. 2x Typ-C (DP 1.2a mit Alt mode & 15W Power Delivery / Power Input)
2. 1x HDMI™ 2.0b (FHD@60Hz)
3. 1x Kopfhörerausgang
4. OSD Taste
5. Power Taste
6. 1/4" Standard Stativgewinde
7. VESA Halterung Sockel



P O R T A B L E M O N I T O R

PRO MP165DE E6

P R O M P 1 6 5 D E E 6

SPECIFICATION

Model	SKU Number	9S6-3PE50M-002
	Entity MKT Name	PRO MP165DE E6
	Part No	9S6-3PE50M-002
	Color	ID1/Black-Black
Display	Screen Size	15.6" (39.62 cm)
	Active Display Area (mm)	344.16 (H)×193.59 (V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.17925(H)x0.17925(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~60Hz
	HDR (High dynamic range)	TBD
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	TBD
	Refresh Rate	60Hz
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	TBD/TBD
	NTSC (CIE1931 area percentage/overlap)	TBD/TBD
	sRGB (CIE1976 area percentage/overlap)	TBD/TBD
	sRGB (CIE1931 area percentage/overlap)	TBD/TBD
	Adobe RGB (CIE1976 area percentage/overlap)	TBD/TBD
	Adobe RGB (CIE1931 area percentage/overlap)	TBD/TBD
	DCI-P3 (CIE1976 area percentage/overlap)	TBD/TBD
	DCI-P3 (CIE1931 area percentage/overlap)	TBD/TBD
	Rec.709 (CIE1976 area percentage/overlap)	TBD/TBD
	Rec.709 (CIE1931 area percentage/overlap)	TBD/TBD
	Rec.2020 (CIE1976 area percentage/overlap)	TBD/TBD
	Rec.2020 (CIE1931 area percentage/overlap)	TBD/TBD
	Surface Treatment	Anti-glare
	Display Colors	16.7M
	Color bit	8 bits (6 bits + FRC)
Schnittstellen	USB Type C (DisplayPort Alternate)	2
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	1Wx 2
	HDMI	1
	HDMI version	2.0b
	HDMI HDCP version	2.3
Garantie	Warranty	24 Monate Pick-Up & Return
Power	Power Type	USB Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	TBD
	Annual Energy Consumption (KWh)	TBD
	Standby-mode Power Consumption (W)	TBD
	Off-mode Power Consumption (W)	TBD
	Energy Efficiency Rating	TBD



P O R T A B L E M O N I T O R

PRO MP165DE E6

P R O M P 1 6 5 D E E 6

Zubehör	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	1
	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	0
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	TBD
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension without Stand (WxDxH) (mm)	TBD x TBD x TBD
	Stand Dimension (WxDxH) (mm)	TBD x TBD x TBD
	Weight (Net kg)	TBD
	Weight Without Stand (kg)	TBD
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	43.1 x 33.3 x 32.5
	Outer Carton Dimension (WxDxH) (cm)	43.1 x 33.3 x 32.5
	Weight (Gross kg)	TBD
Barcode Info	EAN	4711377318648