


Be Your Window To The World

Als idealer Monitor für professionelle Anwendungen vereint der MSI Modern MD342CQPWDE ein schlichtes und modernes Design mit optimaler Bildqualität. Dank der 34 Zoll großen Bildschirmdiagonale und UWQHD- Auflösung (3440x1440) behältst du stets den Überblick – egal ob du Bilder und andere Medien bearbeitest oder alltägliche Office-Aufgaben erledigst. Vielfältige Anschlussmöglichkeiten erlauben es, mühelos mehrere Geräte am Bildschirm zu betreiben. Auch auf Ergonomie wurde beim Design viel Wert gelegt: Mit seinem ergonomischen Standfuß lässt sich der Monitor vollständig verstellen und dadurch bequem in die gewünschte Position bringen. Die TÜV-zertifizierten Anti Flicker- und Less-Blue-Light-PRO-Technologien sorgen für ein augenschonendes Nutzererlebnis. Diese Mischung macht den MSI Modern MD342CQPWDE perfekt für den Einsatz im Büro oder Homeoffice.



SELLING POINTS

- Die 21:9 1500R-Krümmung sorgt für ein immersives und komfortables Seherlebnis, das Verzerrungen eliminiert und ein breiteres Sichtfeld abdeckt.
- Bereit für leichtes Gaming mit einer hohen Bildwiederholfrequenz von 120 Hz und Unterstützung für Adaptive-Sync.
- Der integrierte USB Typ-C-Anschluss mit einer Leistung von 98 W ermöglicht eine schnelle Verbindung und das Laden von Geräten
- PIP/PBP-Modi bieten eine bessere Effizienz für Kreative
- TÜV-zertifiziertes Display gewährleistet Schutz und sichert Gesundheit der Augen.
- MSI EyesErgo-Technologie mit Anti-Flicker-Technologie hilft, Augenbelastung und Ermüdung zu vermeiden.
- MSI Eye-Q Check-Funktion ermöglicht Selbstüberprüfung der Augen und erinnert daran, bei längerer Nutzung des Monitors eine Pause einzulegen.
- Ergonomischer Standfuß mit Funktionen wie Neigung, Drehung und Höhenverstellung
- Vielseitige Nutzung durch mehrere Eingangsquellen wie Typ-C, HDMI™ und DP-Anschluss
- Praktisches und abnehmbares Kabelmanagement-Design
- Zwei integrierte Lautsprecher



1. 1x Stromanschluss
2. 1x Kopfhörerausgang
3. 2x HDMI 2.0b
4. 1x DisplayPort 1.4a
5. 1x Typ-C (DP Alt.) mit 98W PD
6. 1x USB 5Gbps Typ B
7. 2x USB 5Gbps Typ A
8. 1x Kensington Lock
9. Bedienungsknöpfe



Modern MD342CQPWDE

MODERN MD342CQPWDE

SPECIFICATION

Model	SKU Number	9S6-3PC59H-013
	Entity MKT Name	Modern MD341CQPWDE
	Part No	9S6-3PC59H-013
	Color	ID1/White-White
Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H) x 333.72(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.23175(H)x0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~120Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	3500:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.73~178.8 KHz(H) / 48~120 Hz(V)
	Refresh Rate	120Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	104%/85%
	NTSC (CIE1931 area percentage/overlap)	87%/80%
	sRGB (CIE1976 area percentage/overlap)	119%/99%
	sRGB (CIE1931 area percentage/overlap)	122%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	102%/92%
	Adobe RGB (CIE1931 area percentage/overlap)	91%/85%
	DCI-P3 (CIE1976 area percentage/overlap)	95%/95%
	DCI-P3 (CIE1931 area percentage/overlap)	90%/90%
	Rec.709 (CIE1976 area percentage/overlap)	119%/99%
	Rec.709 (CIE1931 area percentage/overlap)	122%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	69%/69%
	Rec.2020 (CIE1931 area percentage/overlap)	65%/65%
	Surface Treatment	Anti-glare
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
Schnittstellen	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 1 Type B	1
	Card reader	N/A
	Lock type	Kensington Lock
	Speaker	2
	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.3
Garantie	Warranty	36 Monate Pick-Up & Return
Power	Power Type	External Adaptor 19V 9.5A
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	31
	Annual Energy Consumption (KWh)	31
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	F
	Power Cord Type	C5



Modern MD342CQPWDE

MODERN MD342CQPWDE

Zubehör	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-5° ~ 5°
	VESA Mounting	75x75mm
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	808.6 x 250.6 x 424.1
	Product Dimension without Stand (WxDxH) (mm)	808 x 125.3 x 362.4
	Stand Dimension (WxDxH) (mm)	335.9 x 250.6 x 423.2
	Weight (Net kg)	8.05
	Weight Without Stand (kg)	5.45
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	94.5 x 24.5 x 51
	Outer Carton Dimension (WxDxH) (cm)	96 x 25.8 x 53.4
	Weight (Gross kg)	11.9
Barcode Info	EAN	4711377151955